TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

LIGHTSHIP OR LIGHT STATION LOG

MONTHLY SUMMARY

(Fill Out on Last Day of Month)

U. S. COAST GUARD Light Station Rose Island Newport, R.I. MONTH OF October

SUPPLIES *(Light Station Only)*

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
RECEIVED	3,320		275	20	10,000		
EXPENDED	375		25	0	2,500		
REMAINING	2,945		250	20	7,500		

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

	FOG SIGNAL	RADIO BEACON		
		LOW VISIBILITY	REGULAR CALIBRATION	SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	1,527.50 HR.	HR.	HR.	HR.
TOTAL THIS MONTH	79.20 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	1,607.10 HR.	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL		X			
RADIOBEACON					
MACHINERY					
BOATS (BY NO.)					
16585		x			
VEHICLES (BY NO.)					

NUMBER DISABLING INJURIES REPORTED 00 DAYS LOST 00 ACCIDENTAL DAMAGE TO PROPERTY, $ 00

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS
Gull Rocks L/Station	547	Good	NONE

(Use Other Side if Necessary)

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S GOVERNMENT PRINTING OFFICE 16—63539-2

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 1st October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.30		60	BC	ASST	4	8		
0400	SW	2	30.32		56	BC	ASST	4	8		
0800	N	2	30.33		65	BC	ASST	8	8		
1200	S	2	30.31		73	BC	ASST	5	8		
1600	SW	2	30.27		70	BC	ASST	3	8		
2000	SW	2	30.29		70	BC	ASST	5	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,320	20	4,900
EXPENDED	10	—	100
REMAINING	3,310	20	4,800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		00	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N Uis
0400 Checked All A/N uis
0630 Secured Main Light
0800 Morning colors - quarters - turned to station work
1200 Secured from station work
1300 Turned to Station work
1400 Commenced Holiday Routine
1600 SECURED, FROM WORK.
1700 Chow.
1800 MAIN LIGHT ON
1815 EVENING COLORS.
2000 Checked All A/N Uis

L.M. Adams SA

CERTIFIED TO BE CORRECT

Vincent Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 2nd October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	3010		60	BC	ASST	7	8		
0400	SW	2	3012		60	BC	ASST	7	8		
0800	CAlm		30.12		68	BC	ASST	7	8		
1200	CALm		30.12		70	BC	ASST	7	8		
1600	CAlm		30.04		70	BC	ASST	7	8		
2000	Calm		2998		68	NB	NS	5	6		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3310	20	4800
EXPENDED	~~200~~ 10	—	200
REMAINING	~~3110~~ 3300	20	4600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
2230	2300	0	30	
TOTAL FOR DAY			30	
TOTAL FOR MONTH			30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N Uis
0400 Checked All A/N Uis
0630 Secured Main Light
0800 Morning colors quarters - turned to Station work
0930 CG16585 departed station for Liberty party
& supplies
0945 CG16585 moored station with White EN2
off Liberty & supplies
1200 Secured from station work
1300 Turned to station work
1305 Held fire drill
1320 Secured from fire drill
1330 Held Small arm's drill
1400 Secured small arms drill
1600 Secured from station work
1700 Chow down
1800 Main Light on
1815 Evening colors
2000 Checked All A/N Uis
2230 Started Fog Horn and Gull RKS. Bell
L.M. Adams SA
2300 Secured Fog Horn and Gull RKS Bell

CERTIFIED TO BE CORRECT

Vincent R. Roy. BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 3Rd October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	2	29.90		60	R	NS	8	6		
0400	N	2	29.86		62	R	NS	8	6		
0800	N	2	29.80		64	R	NS	8	6		
1200	N	1	29.77		66	R	NS	10	6		
1600	N	1	29.74		66	R	NS	10	3		
2000	S	1	29.73		62	R	NS	10	6		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3300	20	4600
EXPENDED	10	–	200
REMAINING	3290	20	4400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	4	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1530

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
1500	1530	00	30	15
1600	2400	8	00	
TOTAL FOR DAY		8	30	
TOTAL FOR MONTH		9	00	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N U's

0400 Checked All A/N U's

0700 Main Light Secured

0800 Morning colors - quarters - turned to station work

1200 Chow down

1300 Turned To

1500 foghorn, gull rocks, and main light on

1530 Secured foghorn, Gull RK's bell & Main Light

1600 Fog horn, gull rocks, and main light on
secured from station work

1830 Fog Horn & gull rocks Bell secured

2000 Checked ALL A/N U's

W. J. Murphy Fn

2030 Started Fog Horn & Gull RKs. Bell

CERTIFIED TO BE CORRECT

Vincent R Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 4Th October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	CALM		29.67		58	R	NS	10	6		
0400	N	1	29.65		63	R	NS	10	6		
0800	N	3	29.62		68	0	CB	10	8		
1200	N	3	29.60		67	0	CB	10	8		
1600	N	2	29.86		58	BC	ASST	8	8		
2000	N	1	29.90		49	BC	ASST	8	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3290	20	4400
EXPENDED	15	—	100
REMAINING	3275	20	4300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	0700	7	—	15
TOTAL FOR DAY		7	00	
TOTAL FOR MONTH		16	00	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- 0400

0000- Checked ALL A/N v/s

0400 - Checked ALL A/N v/s

W.J. Murphy Fn

0400 - 0800

0700- MAIN LIGHT off, Foghorn, gull rocks Bell off

0800 - 1200

0800 - ~~Morning~~ colors, quarters, Turned To

1030 Roy BM-1 and ADAMS SA Departed on Liberty on CC 4.0522 also Received Two Matt.

1200 - 1600

1200 Secured for Chow

1300 Turned To STATION work

1600 Secured from STATION work

W.J. Murphy Fn

1600-2000

1830 MAIN LIGHT ON

W J Murphy Fn

2000- 2400

2000 Checked ALL A/N v/s

CERTIFIED TO BE CORRECT

Vincent R Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 5th October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NNW	2	30.02	48		B	-	-	8		
0400	NNW	1	3006	46		B	-	-	8		
0800	NW	1	3008	44		B	-	-	8		
1200	NW	2	3010	62		B			8		
1600	NW	2	30.06	60		B			8		
2000	NW	1	30.10	55		BC			8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3275	20	4300
EXPENDED	10	-	100
REMAINING	3265	20	4200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		00	00	
TOTAL FOR MONTH		16	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

checked Vis A/N. 0000-0400

0400-0800
0400 checked Vis A/N
0600 Secured Main Light
0630 Held Reville
0700 Chow

0800-1200
0800 Morning Colors, Torn To Station work
1200 Chow down

W.J. Murphy Fn

1200-1600
1300 Turned to
CG 40522 moored station with electrician
1305 CG 40522 departed station
1330 CG 40522 moored station
1500 CG40322 departed with electrician

W.J. Murphy Fn

1600-2000
1600- Secured from station
1610 CG 16585 departed for liberty party
1620 CG 16585 moored station
1830 Main light on

W.J. Murphy Fn

2000-2400
2000- Checked all a/n vis

W.J. Murphy Fn

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 6th October 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	CALM		30.10		49	BC	AS/ST	6	8		
0400	SW	1	30.10		55	BC	AS/ST	6	8		
0800	WSW	1	30.11		61	BC	AS/ST	6	8		
1200	SW	2	30.09		65	BC	AS/ST	6	8		
1600	SW	2	30.07		69	BC	AS/ST	6	8		
2000	SW	1	30.10		62	BC	ASST	6	6		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3265	20	3200
EXPENDED	10	—	200
REMAINING	3255	20	3,000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
1830	2030	2	—	15
TOTAL FOR DAY		2	—	
TOTAL FOR MONTH		18	—	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked all a/n aids

0400 Checked all a/n aids

W. J. Murphy Fn

0400-0800

0700 Main light extinguished

0800 Morning colors, quarters, turned to

W. J. Murphy Fn

0800-1200

1200 Chow down

W. J. Murphy Fn

1200-1600

1300 CG 16585 departed to pick up liberty party turned to

1330 CG 16585 moored station

W. J. Murphy Fn

1600-2000

1630 Secured from station work

1700 Checked all a/n aids

1830 TURNED ON FOG HORN AND GULL RKS BELL

*1800 MAIN LIGHT ON.

*1300 WHITE LOUIS EN-2 DEPARTED ON LIBERTY AND. TAD 6 DAYS AT WAKEFIED MASS,

W J Murphy Fn

2000-2400

2000 Checked all a/n aids

2030 Secured fog horn & ~~main~~ gull rocks bell

CERTIFIED TO BE CORRECT

Vincent R Roy BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 7th October 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	30.10	-	56	BC	AS/ST	4	8	—	—
0400	SW	1	30.10	-	54	BC	AS/ST	6	8	—	—
0800	SW	1	30.10	—	60	BC	AS/ST	6	8	—	—
1200	Calm		30.10		75	BC	ASST	6	8	-	—
1600	SW	2	30.09		72	BC	ASST	6	8		
2000	Calm		30.09		66	BOZ	NS	7	3	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3255	20	3,000
EXPENDED	10	—	200
REMAINING	3245	20	2,800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
0600	0730	1	30	15
1830	2400	5	30	15
TOTAL FOR DAY		7	0	
TOTAL FOR MONTH		25	—	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 CHECKED ALL VIS A/N
0400 CHECKED ALL VIS A/N
0600 TURNED ON FOG HORN AND GULL RKS BELL
0730 SECURED FOGHORN GULL RKS BELL AND MAIN LIGHT

Vincent R. Roy BM-1

0800 - 1200

0800 MORNING COLORS. TURNED TO STATION WORK.
1100 CG40522 moored station for Liberty party
1120 CG40522 departed station with Murphy FN on Liberty
1200 Chow down

Larry M. Adams SA

1200 - 1600

1300 Turned to station work
1100 Commenced station inspection by officer in charge
1130 Secured station inspection
1600 Secured from station work

L.M. Adams SA

1600 - 2000

1800 Turned on Main Light
1820 Evening colors
1830 Gull RK's bell & foghorn ON
2000 Checked All A/N not Vis

L.M. Adams SA

2000 - 2400

CERTIFIED TO BE CORRECT

Vincent R Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 8th October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	3	30.09	—	64	0/Z	NS	10	3	—	—
0400	N	3	30.08	—	62	0/Z	NS	10	2	—	—
0800	N	3	30.08	—	60	0/Z	NS	10	6	—	—
1200	N	3	30.04	—	66	0/Z	NS	10	6	—	—
1600	N	3	30.00	—	63	0/Z	NS	10	6	—	—
2000	Calm		29.96		60	0/ZR	NS	10	5	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3245	20	2,800
EXPENDED	10	—	200
REMAINING	3,235	20	2,600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0830 Time Lighted 1730

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	0830	8	30	15
TOTAL FOR DAY		8	30	
TOTAL FOR MONTH		33	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 checked ALL Vis A/N
0400 checked ALL Vis A/N

Vincent R. Roy BM-1

0400 - 0800

UNEVENTFUL WATCH.

Vincent R. Roy. BM-1

0800 - 1200

0800 MORNING COLORS TURNED TOO
0830 SECURED FOG HORN AND GULL RKS BELL AND
MAIN LIGHT,
0900 EMERGENCY GENERATOR. NOT WORKIN PROPERLY THIS
DATE.
1200 Secured from station work - Chow down

L. M. Adams SA

1200 - 1600

1215 CG40522 MOORED station with Electriction
1255 CG40522 departed station with Electriction
Emergency Generator working properly
1300 Turned to station work
1600 Checked All A/N vis - secured from
station work 1600 - 200
1730 Main Light on
1745 Evening colors
2000 Checked All A/N vis

Larry M. Adams SA

2000 - 2400

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 9th October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.96		65	BC	ASST	2	8	—	—
0400	SW	2	29.94		67	BC	ASST	2	8	—	—
0800	SW	2	29.90		70	BC	ASST	2	8	—	—
1200	SW	2	29.22		74	BC	ASST	2	8	—	—
1600	SW	1	29 87		76	BC	ASST	2	8		
2000	CALM		29 90		74	BC	ASST	2	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3235	20	2600
EXPENDED	15	-	200
REMAINING	3220	20	2400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		33	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked All A/N V's
0400 Checked All A/N V's

0400 - 0800

L. M. Adams SA

UNEVENTful WATCH
0630 MAIN Light off

0800 - 1200

0800 MORNING colors - quarters - turned to station work
1200 Secured from station work - Chowdown

1200 - 1600

1300 Turned to station work
Murphy FN returned from liberty
1305 Roy BM1 departed on liberty
1600 Secured from Station work.

1600 - 2000

1800 MAIN Light ON
1815 Evening colors
2000 Checked all a/n V's

2000 - 2400

W. J. Murphy

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 10Th October 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	CALm		2995		69	BC	ASST	2	8	–	–
0400	CALm		30.00		66	BC	ASST	2	8	–	–
0800	CALm		30.05		63	BC	ASST	2	8	–	–
1200	CALm		30.07		68	BC	ASST	2	8	–	–
1600	SW	2	30.05		71	BC	ASST	2	8	–	–
2000	SW	2	30.12		66	BC	ASST	2	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3220	20	2400
EXPENDED	10	–	200
REMAINING	3210	20	2200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		33	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked all a/n vis
0400 Checked all a/n vis

W.J. Murphy Fn

0400 - 0800

0630 Reville
0700 Main light off
0800 Morning colors, quarters, turned to

W.J. Murphy Fn

0800 - 1200

1000 - Started emergency generators
1100 - Secured emergency generators
1200 - Chow down

W.J. Murphy Fn

1200 - 1600

1300 turned to
1600 Secured from Station work

W.J. Murphy Fn

1600 - 2000

1700 Checked all a/n vis
1800 Main light on
1815 Evening colors
1830 Roy BM-1 ARRIVED STATION off Liberty
2000 Checked All A/N Vi's

L.M. Adams SA

2000 - 2400

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 11Th October 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	30.10		62	BC	ASST	4	8		
0400	SW	1	30.13		65	BC	ASST	4	8		
0800	NE	2	30.16		68	BC	ASST	4	8		
1200	NE	2	30.30		70	BC	ASST	4	8		
1600	NE	2	30.28		65	BC	ASST	4	8		
2000	NE	1	30.26		60	BC	ASST	6	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3210	20	2200
EXPENDED	10	—	
REMAINING	3200	20	2000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		33	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 - Checked all a/n vis

0400 - Checked all a/n vis

W J Murphy Fn

0400 - 0800

0630 - Main light off

W J Murphy

0800 - 1200

0800 - Morning colors, quarters, turned to

1100 - Adams SA departed on liberty

W. J. Murphy Fn

1200 - 1600

1200 - Chow down

1300 - turned to

1600 - Secured from station work.

W J Murphy Fn

1600 - 2000

1800 Main light on

1815 Evening colors

W. J. Murphy Fn

2000 - 2400

2000 Checked all a/n vis

W J Murphy

CERTIFIED TO BE CORRECT

Vincent R. Roj, BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 12th October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	1	30 24		55	BC	ASST	6	8		
0400	N	1	30.20		57	F	NS	10	4		
0800	N	1	30.17		60	F	NS	10	2		
1200	N	1	30.11		69	BC	ASST	8	8		
1600	S	1	30.09		69	BC	ASST	8	8		
2000	S	1	30.07		61	BC	ASST	8	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3200	20	10,000
EXPENDED	10	–	100
REMAINING	3190	20	9,900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0900 Time Lighted 1800

FOG SIGNAL (Low visibility only) — **RADIOBEACON** (Low visibility and calibration time only)

FOG SIGNAL TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
0400	0900	5	–	15									
TOTAL FOR DAY		5	00		TOTAL FOR DAY								
TOTAL FOR MONTH		38	30	15	TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

10—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 - Checked all a/n vis

0400 - Started fog horn & gull rocks bell

W.J. Murphy

0400-0800

uneventful watch

W.J. Murphy

0800-1200

0800 - Morning colors, quarters, turned to.

0900 - SECURED FOG HORN GULL RKS BELL AND MAIN LIGHT

0940 - CGC Spar moored and commenced pumping water TO STATION

0130 - CGC Spar ~~departed~~ secured ~~putting~~ PUMPING water to this unit.

W.J. Murphy

1200-1600

1200 Chow down

1300 turned to

1600 Secured from station work

W.J. Murphy Fn

1600-2000

1800 Main light on

1815 Evening colors

W.J. Murphy Fn

2000-2400

2000 - Checked all a/n vis

W.J. Murphy Fn

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 13th October 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		30.05	-	55	BC	BSCT	8	8	-	-
0400	CALm		30.03	-	57	OF	NS	10	0	-	-
0800	N	1	30.00	-	62	OF	NS	10	1	-	-
1200	Calm		29.99	-	70	OF	NS	10	2	-	-
1600	SW	4	29.89	-	67	OF	NS	10	2	-	-
2000	SW	1	29.87	-	62	OF	NS	10	0	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3190	20	9,900
EXPENDED	10	-	200
REMAINING	3,180	20	9,700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished CONT Time Lighted CONT.

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRES-SURE
0100	2400	23	-	15
TOTAL FOR DAY		23	-	15
TOTAL FOR MONTH		61	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 CHECKED ALL VIS A/N

0100 FOG IN TURNED ON FOG HORN AND GULL RKS BELL
NO VIS.

0400 No vis a/n

W J Murphy FN

0400-0800

unventful watch

W J Murphy FN

0800-1200

0800 Morning colors, quarters, turned to.

1030 Adams SA ARRIVED STATION off Liberty &
Murphy FN departed on Liberty

1200 Chow down

L M Adams SA

1200-1600

1300 TURNED to STATION WORK

1600 Secured from station work

L. M. Adams SA

1600-2000

1800 EVENING COLORS.

2000 ALL A/N NOT VIS DUE TO FOG.

Vincent R. Roy

CERTIFIED TO BE CORRECT

Vincent R Roy BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 14Th October 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	SW	4	29.78	63		OF	NS	10	2	—	—
0400	SW	4	29.79	64		OF	NS	10	2	—	—
0800	SW	4	29.78	65		OF	NS	10	3	—	—
1200	SW	4	29.71	67		OF	NS	10	2	—	—
1600	SW	4	29.64	65		OZ	NS	8	4	—	—
2000	SW	3	29.63	62		OZ	NS	5	6	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,180	20	9,700
EXPENDED	15	—	100
REMAINING	3165	20	9600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT		

MAIN LIGHT Time Extinguished 1330 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRES-SURE
0000	1330	13	30	15
TOTAL FOR DAY		13	30	15
TOTAL FOR MONTH		75	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

0000 - 0400

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N not U/S

0400 Checked All A/N not U/S

L. M. Adams SA

0400 - 0800

UNeventful watch

L. M. Adams SA

0800 - 1200

0800 Morning colors - quarters - Turned to station work

1200 Secured station work - Chow down

1200 - 1600

L. M. Adams SA

1300 Turned to Station work

1330 SECURED FOG HORN GULL RKS BELL AND MAIN LIGHT

1330 Turned on Emergency Gen. for test

1400 SECURED EMERGENCY GEN.

1400 White EN2 returned TAD & Roy BM-1 departed TAD Wakefield Mass in CG36453

1415 CG 36453 departed station

1600 Checked All A/N U/S & Secured station work

1600 - 2000

1800 Main Light on - & evening colors

2000 Checked All A/N U/S

L. M. Adams SA

2000 - 2400

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 15th October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	4	29.64	40		OR	NS	5	6	–	–
0400	NW	3	29.60	41		OR	NS	5	6	–	–
0800	NW	4	2955	43		OR	NS	5	6	–	–
1200	NW	4	2954	40		OR	NS	10	7		
1600	NW	3	29.56	42		G	NS	5	6		
2000	NW	2	29.65	41		OR	NS	5	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3165	20	9600
EXPENDED	15	–	100
REMAINING	3150	20	9500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		75	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked All A/N U's

0400 Checked All A/N U's

L. M. Adams SA

0400-0800

0630 Secured Main Light

L. M. Adams SA

0800-1200

0800 Morning colors - quarters, turned to station work

1200-1600

L. M. adams SA

1200 Secured for chow

1300 Turned to station work

1600 Secured from station work

L. M. adams SA

1600-2000

1800 Evening colors & Main Light on

2000 Checked All A/N U's

L. M. Adams SA

2000-2400

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 16th October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	2	2968		40	BC	ASST	3	8	—	—
0400	NE	2	29.69		41	BC	ASST	3	8	—	—
0800	NE	2	29.75		41	BC	ASST	3	8	—	—
1200	NE	2	2979		42	BC	ASST	3	8		
1600	N	2	2981		44	BC	ASST	3	8		
2000	NW	2	2984		46	BC	ASST	3	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3150	20	9500
EXPENDED	15	—	100
REMAINING	3135	20	9400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1800

FOG SIGNAL (Low visibility only) **RADIOBEACON** (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		75	00		TOTAL FOR MONTH								

FOG SIGNAL TEST **RADIOBEACON TEST**

TIME START ______ TIME STOP ______ TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked All A/N U's

0400 Checked All A/N U's

0400-0800

0600 Secured Main Light

0800 Morning colors - quarters - Turned to STATION WORK.

Louis G. White

0800-1200

1000 Murphy FN. Arrived from Liberty CG 36 4153
Adams SA Departed on Liberty

1200 Chow down

1200-1600

W J Murphy Fn

1300 Turned to Held Fire Drill

1600 Secured from Station work

W. J. Murphy Fn

1600-2000

1800 - Main light on

1815 - Evening Colors

2000 - Checked U's A/N

Louis G. White

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 17th October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	2	2986		44	BC	ASST	3	8		
0400	W	2	2989		45	BC	ASST	3	8		
0800	W	2	2992		48	BC	ASST	3	8		
1200	SSW	2	2992		62	BC	ASST	3	8		
1600	SW	2	2986		58	BC	ASST	3	8		
2000	SW	1	2988		57	BC	ASST	3	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3135	20	9400
EXPENDED	15	—	100
REMAINING	3120	20	9300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		15	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000
Checked Vis A/N
L G White

0400 - 0800

0400
Checked Vis A/N
0630
Secured Mainlight
L G White

0800 - 1200

0800
Morning Colors, Turn To Station Work
1130 Secured for Chow
1200 Turn To Station Work

1200 - 1600

1430 Group Commander arrived unit for inspection
1540 Group commander departed unit
~~163~~
W. J. Murphy

1600 - 2000

1630 - Secured from station work
1800 - Main light on
1815 - Evening colors
W. J. Murphy

2000 - 2400

2000 - Checked all a/n vis
W. J. Murphy

CERTIFIED TO BE CORRECT

Vincent R Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 18Th October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	2990		65	BC	ASST	3	8		
0400	WSW	1	2993		68	BC	ASST	3	8		
0800	WSW	2	2995		70	BC	ASST	3	8		
1200	SSW	2	2992		70	BC	ASST	3	8		
1600	SSW	2	2989		62	BC	ASST	4	8		
2000	SSW	2	29.90		60	BC	ASST	3	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3120	20	9300
EXPENDED	15	—	100
REMAINING	3105	20	9200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		75	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 - Checked all a/n uis

0400 Checked all a/n uis

W J. Murphy Fn

0400 - 0800

0700 Main light secured

W J Murphy Fn

0800 - 1200

0800 - Morning colors, quarters, turned to

1200 - 1600

1200 Chow
1300 Turn To station work
1400 CG 40522 moored station with Adams SA off liberty & Murphy FN off liberty.
1600 Checked All A/N Ui's

L.M. Adams SA

1600 - 2000

1730 Secured From station work & Main Light on
1800 Evening colors
2000 Checked All A/N Ui's

L.M. Adams SA

2000 - 2400

CERTIFIED TO BE CORRECT

Vincent R Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 19th October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SSW	2	29.89		60	BC	ASST	2	8	—	—
0400	SSW	2	28.88		62	BC	ASST	2	8	—	—
0800	SSW	2	29.90		64	OF	NS	8	3	—	—
1200	SSW	2	29.90		74	BC	ASST	2	8	—	—
1600	SSW	3	29.85		67	BC	ASST	2	8		
2000	SW	1	29.87		65	BC	ASST	4	6		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3105	20	9200
EXPENDED	15	—	100
REMAINING	3090	20	9100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0800 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0500	0800	3	-	15
0810	0930	1	20	15
TOTAL FOR DAY		4	20	
TOTAL FOR MONTH		79	20	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked All A/N Ui's

0400 Checked All A/N Ui's

0400 - 0800 L.M. Adams SA

0500 Turned on Foghorn & Gull RK's bell

0800 Checked All A/N Ui's, Morning colors - quarters
Turned to station work Secured Main Light
Fog Horn a Gull RKs, Bell

0810 Turned on Fog horn Main Light & Gull RKS bell

L.M. Adams SA

0800 - 1200

0930 Secured fog horn Gull RKs. Bell and Main Light

1130 Secured for Chow

1200 - 1600 L.M. Adams SA

1200 Checked All A/N Ui's

1230 Turned to Station work

1600 Secured from station work
Checked All A/N Ui's L.M. Adams SA

1600 - 2000

1730 Checked All A/N Ui's - Main Light on

1800 Evenening colors

2000 Checked All A/N Ui's

2000 - 2400 L.M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 20th October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	29.52	54	~~49~~	ORU	NS	4	6	—	—
0400	NW	3	29.50	52	~~49~~	ORU	NS	4	6	—	—
0800	NW	4	29.54	51	~~49~~	ORU	NS	4	6	—	—
1200	NE	4	29.52	53		OZ	NS	3	7	—	—
1600	NE	4	29.50	52		OZ	NS	3	7	—	—
2000	NE	4	29.60	53		OZ	NS	3	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3090	20	9100
EXPENDED	15	—	100
REMAINING	3075	20	9000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		79	20	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked All u's A/N

0400 Checked All u's A/N

0400 - 0800 L.M. Adams SA

0630 Secured Main Light, Revelile

0700 Chow down

0800 Morning colors - quarters - Turned to Station work

0800 - 1200 L.M. Adams SA

1200 Chow down

1200 ~~-~~ 1600 L.M. Adams SA

1300 Turned to Station work

1600 Secured from Station work

1600 - 2000 L.M. Adams SA

1800 Evening colors - Main Light on

1830 Sighted flashing Green Light off Gould Island Extinguished

2000 Checked All A/N u's, except green flashing Light off Gould Island

2000 - 2400 L.M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 21st October 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	3	2962		50	o/c	NS	8	7	—	—
0400	NE	3	2968		52	o/c	NS	8	7	—	—
0800	NE	3	2974		54	o/c	NS	8	7	—	—
1200	NE	3	2974		58	o/c	NS	8	7	—	—
1600	Ne	3	2976		54	o/c	NS	8	8	—	—
2000	Ne	3	2978		49	o/c	NS	8	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3075	20	9000
EXPENDED	15	—	200
REMAINING	3060	20	8,800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked Vis A/N Louis G. White

0400 - 0800

0400 Checked Vis A/N
0600 Secured Main Light
0800 Morning Colors, Quarters, Turn To
Station Work. Louis G. White

0800 - 1200

1130 SECURED FROM STATION WORK.
1230 TURNED-TO STATION WORK.
1407 Roy BM-1 RETURNED FROM TAD WAKEFIED MASS
MURPHY FN. RETURNED FROM LIBERTY
1430 WHITE EN-2 DEPARTED ON LIBERTY
1430 ADAMS LARRY SA. DEPARTED FOR 5 DAYS TAD
WAKEFIELD MASS.

W.J. Murphy Fn

1600 - 2000
1800 Main light on
1815 Evening colors

Vincent R. Roy.

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 22nd October 1961 LOCATION Newport, Rhode Island.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	4	2976		40	OZ	NS	10	8		
0400	NE	4	2975		44	OZ	NS	10	8		
0800	NE	4	29.74	—	48	O/Z	NS	10	8	—	—
1200	NE	4	2977		48	OZ	NS	10	8		
1600	NE	4	2980		48	OZ	NS	10	8		
2000	NE	3	29.85		44	OZ	NS	10	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3060	20	8,800
EXPENDED	10	—	100
REMAINING	3050	20	8,700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked all a/n nis
0400 Checked all a/n nis

W J Murphy Fn

0400-0800

0700 - Main light off

W J Murphy Fn

0800-1200

0800 - Morning colors, quarters
0830 Changed Main Light

W J Murphy Fn

1200-1600

1200 - Chow down

W J Murphy Fn

1600-2000

1600 Main light on
1815 Evening colors

W J Murphy Fn

2000-2400

2000 Checked all a/n nis

W J Murphy

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 23rd October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	3	29 90		40	OZ	NS	10	8		
0400	NE	3	29 95		44	OZ	NS	10	8		
0800	NE	3	29.98		47	OZ	NS	10	8		
1200	NE	3	30.00		46	OZ	NS	10	8		
1600	NE	3	29.96		46	OZ	NS	10	8		
2000	NE	3	29.98		46	OZR	NS	10	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3050	20	8700
EXPENDED	10	–	200
REMAINING	30 40	20	8500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 - Checked all a/n vis

0400 - Checked all a/n vis

W J Murphy Fn

0400-0800

0700 Main light off

W J. Murphy Fn

0800-1200

0800 - Morning colors, quarters, turned to

1130 - Chow down

W J. Murphy Fn

1200-1600

1230 - turned to

W J. Murphy Fn

1600-2000

1600 - Secured from Station work

1800 - Main light on

1815 - Evening colors

W J Murphy Fn

2000-2400

2000 - Checked all a/n vis

W J Murphy Fn

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 24th October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	3	29.98		40	OZ	~~A~~ST	10	8	–	–
0400	NE	3	29.98		43	OZ	~~A~~ST	10	8	–	–
0800	NE	3	29.98		46	OZ	~~A~~ST	10	8	–	–
1200	NE	2	29.96		50	BC	ST	8	8	–	–
1600	NE	2	29.92		54	BC	ASST	6	8	–	–
2000	NE	1	29.96		50	BC	ASST	6	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3040	20	8500
EXPENDED	10	–	100
REMAINING	3030	20	8400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked all a/n vis

0400 - Checked all a/n vis

W J Murphy Fn

0400 - 0800

0700 - Main light off

W J Murphy Fn

0800 - 1200

0800 - Morning colors, quarters, turned to

0900 Started all station machinery

1100 - White EN-2 Returned from Liberty

Roy BM-1 Departed on Liberty in CG40522

W J Murphy Fn

1200 - 1600

1200 Chow down

1300 turned to

W J Murphy Fn

1600 - 2000

1600 Secured from station work

1800 Main light on

1815 Evening colors

W J Murphy Fn

2000 - 2400

2000 Checked all a/n vis

CERTIFIED TO BE CORRECT

Vincent R Roy BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 25th October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		2998		49	BC	ASST	6	8	—	—
0400	E	1	30 00		48	BC	ASST	6	8	—	—
0800	E	1	30.01		47	BC	ASST	8	8	—	—
1200	SW	1	29.98		71	BC	ASST	6	8	—	—
1600	SW	2	29.90		58	BC	ASST	6	8	—	—
2000	SW	1	29.92		59	BC	ASST	6	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3030	20	8400
EXPENDED	10	—	100
REMAINING	3020	20	8300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked all a/n nis

0400 Checked all a/n nis

0400-0800

0700 Main light off

0800-1200

0800 Morning colors, quarters, turned to

1200-1600

1230 - Chow down

1300 - turned to

1400 - Started Standby generator

1500 - Secured standby generator

1600-2000

1630 Secured from Station work.

1800 Main light on

1815 Evening colors

2000-2400

2000 Checked all a/n nis

W J Murphy Jr

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 26th October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	29 88		58	h	ST	9	8	—	—
0400	SW	1	29 84		59	OZL	ST	9	8	—	—
0800	SW	2	29.80		60	OZh	ST	9	8	—	—
1200	SW	1	29.82		62	OZ	ST	8	8	—	—
1600	SW	1	2982		58	OZ	ST	8	8	—	—
2000	SW	1	2982		54	OZ	ST	8	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3020	20	8300
EXPENDED	10	—	100
REMAINING	3010	20	8200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked all a/n ais

0400 Checked all a/n ais

0400-0800

0700 Main light off

0800-1200

0800 Morning colors, quarters, turned to

1130 Chow down

1135 Roy BM-1 Returned from Liberty Murphy FN Departed

1200-1600

1230 Turn To

1600-200

1600 Checked Ais. AN

1700 Secured Station Work

1800 Turned on Main Light Evening Colors

2000-2400

2000 Checked Ais AN

CERTIFIED TO BE CORRECT

Vincent R. Roy, BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 27th October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	2	2986		62	BC	ASST	6	8	–	–
0400	NW	2	2990		64	BC	ASST	6	8	–	–
0800	NW	2	2994		68	BC	ASST	6	8	–	–
1200	NW	2	2998		70	BC	ASST	6	8	–	–
1600	NW	2	3002		68	BC	ASST	6	8	–	–
2000	NW	1	30.05		55	BC	ASST	6	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3010	20	8200
EXPENDED	10	–	100
REMAINING	3000	20	8100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000
Checked Vis A/N

0400-0800

0400 Checked Vis A/N
0630 Secured Main Light

0800 - 1200

0800 Quarters Morning Colors Turn To
Station Work

1200 - 1600

1200 Secured for chow
1220 Turn To Station Work

1600 - 2000

1600 Checked Vis A/N
1730 Secured Station Work

CERTIFIED TO BE CORRECT

Vincent Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545—1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 28th October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	1	30.08		42	BC	ASST	6	8	—	—
0400	NW	1	30.12		46	BC	ASST	6	8	—	—
0800	NW	1	30.15		50	BC	ASST	6	8	—	—
1200	SW	1	30.18		53	BC	ASST	6	8	—	—
1600	SW	2	30.20		55	Bc	ASST	6	8	—	—
2000	SW	1	30.21		51	Bc	ASST	6	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3000	20	8100
EXPENDED	10	—	100
REMAINING	2990	20	8000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked main light and all a/n vis

0400 Checked main light and all a/n vis

0400-0800

0700 Main light off

0800-1200

0800 Morning colors, quarters, turned to

1200-1600

1200 Chow down

1230 CG 36453 ~~moode~~ moored with Murphy FN from liberty & ADAMS SA from 5 days TAD from Wakefield

1235 CG36453 departed with White EN2 on liberty

1600-2000

1630 Secured from station work

1730 Main light on

1745 Evening colors

2000-2400

2000 Checked all a/n vis

W. J. Murphy Fn

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 29th October 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.17	–	54	Bc	ASST	6	8	–	–
0400	SW	2	30.13	–	56	Bc	ASST	6	8	–	–
0800	SW	2	30.10	–	58	Bc	ASST	6	8	–	–
1200	W	1	30.03	–	66	Bc	ASST	6	8	–	–
1600	WSW	2	29.98	–	60	Bc	ASST	6	8	–	–
2000	SBW	3	29.96		62	BC	ASST	4	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2990	20	8000
EXPENDED	15	–	200
REMAINING	2975	20	7800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1200

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked all a/n u/s
0200 Set clocks back one hour
0400 Checked all a/n u/s

0400-0800

0700 Main light off

0800-1200

0800 Morning colors, quarters, turned to

1200-1600

1200 Chow down
1300 Turned to station work
1600 Secared from station work

L.M. Adams SA

1600-2000

1700 Main Light Turned on
1715 Evening colors
2000 All A/N checked o/s

L.M. Adams SA

2000-2400

Uneventful Watch

CERTIFIED TO BE CORRECT

Vincent R Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 30th October 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SSW	2	29.70		60	BC	ASST	2	8	—	—
0400	SSW	2	29.72		64	BC	ASST	2	8	—	—
0800	SSW	2	29.72		64	BC	ASST	2	8	—	-
1200	SSW	2	29.74		68	B C	ABST	2	8	—	—
1600	SSW	2	29.70		66	BC	ASST	2	8	—	—
2000	SSW	2	2969		64	BC	ASST	2	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2975	20	7800
EXPENDED	15	—	100
REMAINING	2960	20	7700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked All A/N U/S

0400 Checked All A/N U/S

0400 - 0800 L. M. Adams SA

0600 Main Light off

0800 - 1200 L. M. Adams SA

0800 Morning colors - quarters - Turned to station work

1200 Chow down

1200 - 1600 L. M. Adams SA

1300 Turned to station work

1430 CG 36453 moored station

1440 CG 36453 departed station with Adams SA & Murphy FN for flu shots at Castle Hill L/B/S & Murphy on Liberty

1600 CG 40522 moored station with Adams SA & White EN-2 off liberty

1600 - 2000 L. M. Adams SA

1600 Main Light on due to bad weather conditions

1615 Evening colors

1605 CG40522 departed station

CERTIFIED TO BE CORRECT

Vincent R Roy BM1

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 31st October 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SSW	2	2966	~~66~~	56	BC	ASST	4	8	—	—
0400	NW	2	2962		58	BC	ASST	4	8	—	—
0800	NW	2	2956		62	BC	ASST	4	8	—	—
1200	NW	2	2944		66	BC	ASST	4	8	—	—
1600	NW	2	2948		66	BC	ASST	4	8	—	—
2000	NW	2	29.36		64	BC	AS/ST	4	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2960	20	7700
EXPENDED	15	—	200
REMAINING	2945	20	7,500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked Vis A/N

0400 - 0800

0400 Checked Vis A/N
0700 Secured main Light

0800 - 1200

0800 Morning Colors Turn To Station Work
0900 Started station Machinery
1000 Secured station machinery

1200 - 1600

1200 Secured for Chow Checked Vis A/N
1300 Turned to station work

1600 - 2000

1700 Secured from station work
1630 Main Light on
1700 Evening Colors

CERTIFIED TO BE CORRECT

Clement R Roy BM1
(Officer in Charge)